


COPPER PATCH CORD, CAT6A, SHIELDED, LSZH

PRODUCT	MODEL NO.
Copper Patch Cord, CAT6A, Shielded, LSZH, 1M, Blue/Grey	TN5113PCC6ASLS1M
Copper Patch Cord, CAT6A, Shielded, LSZH, 2M, Blue/Grey	TN5114PCC6ASLS2M
Copper Patch Cord, CAT6A, Shielded, LSZH, 3M, Blue/Grey	TN5115PCC6ASLS3M
Copper Patch Cord, CAT6A, Shielded, LSZH, 5M, Blue/Grey	TN5116PCC6ASLS5M

CAT.6A PATCH CABLE






Features/Benifits

- Meets all requirements specified in ANSI/TIA-568.2-D
- Low Smoke Zero Halogen
- Stranded cores for enhanced flexibility
- Performance exceeding Category 6A specifications of 500MHz
- Snag-less Plug Design
- Available in various lengths and colors
- Cable Termina on as per T568B wire scheme on both ends.
- Fully interoperable and backwards compatible
- UL Listed and ETL Verified
- 25 Years System Warranty

Product Description

Texa Network's Category 6A Copper Patch Leads are designed for optimal performance and manageability. Our Patch Leads are designed to offer a slim profile specifically for today's high density environments. Snag-less plug design makes these Patch Leads an excellent choice in environments where moves, adds and changes (MAC's) are frequent.





TRANSMISSION PERFROMANCE

Meet CAT6A Channel Requirements Specified in ANSI/TIA-568.2-D

ELECTRICAL

Electrical Insula on Resistance	500MΩ min. @ 100 V d.c
Dielectric Withstanding Voltage	1000V DC or AC Peak contact to contact; 1500V DC or AC Peak contact to test panel

MECHANICAL

Inser on / Extrac on Life	750 Cycles Minimum
Tensile Strength	≥ 20N per Wire

PHYSICAL

Plug	
Assembly	Compatible with FCC Part 68 Subpart F
Housing	UL Listed 94V-0 Flame-Retardant PC (Polycarbonate)
IDC Blades	Phosphor Bronze. Contact area of blades is plated with 50 micro- inches of hard gold over 100 micro-inches of Nickel
Sheild	Brass alloy plated with 100 micro inch of Nickel

Cordage	
Jacket Dimension	Diameter <0.25 inches / OD. 6.0 ± 0.2mm
Construc on	CAT6A FTP 26 AWG 7 stranded 4-Pair Copper wire conductor. High Density Polyethylene Insula on Material. Low Smoke Zero Halogen Jacket.