

## COPPER PATCH CORD, CAT8, SHIELDED, LSZH

PRODUCT	MODEL NO.
Copper Patch Cord, CAT8, Shielded, LSZH, 1M, Blue/Grey	TN5101PCC8SLS1M
Copper Patch Cord, CAT8, Shielded, LSZH, 2M, Blue/Grey	TN5102PCC8SLS2M
Copper Patch Cord, CAT8, Shielded, LSZH, 3M, Blue/Grey	TN5103PCC8SLS3M



### Features/Benifits

- Meets all requirements specified in ANSI/TIA-568.2-D
- Low Smoke Zero Halogen
- Stranded cores for enhanced flexibility
- Performance compliant to Category 8 specifications of 2000MHz
- Snag-less Plug Design
- Available in various lengths and colors
- Cable Termination as per T568B wire scheme on both ends.
- Fully interoperable and backwards compatible
- 25 Years System Warranty

## Product Description

TEXA Network's Category 8 Copper Patch Leads are designed for optimal performance and manageability. Our Patch Leads are designed to offer a slim profile specifically for today's high-density environments. Snag-less plug design makes these Patch Leads an excellent choice in environments where moves, adds and changes (MAC's) are frequent.

## PHYSICAL CHARACTERISTICS

RJ45 Plug	Compatible with FCC Part 68 Subpart F
AssemblyHousing	PC, UL 94V-2 Transparent black color
IDC Blades	Contact area of blades is plated with 50 micro- inches of hard gold over 100 microinches of Nickel
Shield	Copper with Nickel Plated
PCB	UL 94V-0
Compliance	IEC 60603-7

### Strain Relief

Material	PC, UL 94V-2, Yellow color (RAL 1021)
----------	---------------------------------------

### Cordage

Cable Type	CAT8 S/FTP 4 Twisted Pair
Jacket	Low Smoke Zero Halogen Jacket. (LSZH)
Conductor	24 AWG stranded Copper
Shield	Aluminum foil on each pair, ned copper clad with steel braid

## PHYSICAL CHARACTERISTICS

