


FIBER OPTIC DISTRIBUTION BOX (FODB), 2 PORT, IP66 (TN7402DB2P)



Product Description

TEXA Network's Fiber Optic Distribution Box is ideally installed inside Telecom Rooms. It houses Fiber optic adapters, FICs and Pigtailed. The FO Distribution Box is used as an interface/interconnection point between the Horizontal Fiber Optic distribution system and Backbone Fiber Optic distribution system. TEXA Network's FODB supports termination, splicing & storage functions for fiber optic cable systems. The FODB is simple in design yet offers sufficient work space and fiber management – the box is engineered with all fiber routing supporting the minimum bend radius philosophy to ensure signal integrity

Features & Benefits

- Compact size takes up less wall space for installation with Lock
- Dust Proof, Anti-UV, Water Proof, Fire Retardant, Shock Proof and Breakage Proof
- IP66Rated
- ABS + PC (Alloy Material) with good Anti-aging performance
- Inner slack storage area ensures minimum bend radius compliance
- Simple and easy installation
- Innertray available to house splice sleeves
- Accepts standard SC Adapters
- Comes in both Loaded and Unloaded options
- Mounting screws, Fischer, Cable Ties provided.
- Micro Type Splitter can be installed inside
- Complies with IEC 61754-4
- 25 Years System Warranty

Physical Characteristics of Fiber optic Distribution box

Size (H*W*D) (mm)	168 x 102 x 32 mm
Splice Method	Fusion Splice
Cable Entry	Bottom
Relative Humidity	≤ 85%
Working Temperature Range	-40°C to +75°C